MEDIUM TACTICAL VEHICLE REPLACEMENT (MTVR) AND LOGISTICS VEHICLE SYSTEM REPLACEMENT (LVSR) PROGRAMS

Industry/Government Partnership For Affordable Product Support

Presentation to:
Office of Secretary of Defense
Product Support Manager Conference
3 November 2011

Thomas H. Miller
Assistant PEO Land Systems
(Program Management)

John Bryant
VP Marine Corps Programs
Oshkosh Corporation



Overview & Agenda



Overview

- MTVR and LVSR are workhorse vehicles for the USMC and are heavily used, including in theater
- PMO and OEM (Oshkosh) team to provide life cycle product support
- Challenging environment going forward due to lean budget forecasts



Agenda

- Program overviews
- Product support strategies and challenges
- Oshkosh initiatives
- Summary







MTVR and LVSR Program Overviews



Medium Tactical Vehicle Replacement (MTVR) "The Workhorse of the Marine Corps"







- •The MTVR replaced the aging M809/M939 series 5-ton trucks with state-of-the-art commercial automotive technology beginning in 2001. The MTVR cargo truck has a 7.1-ton off road and 15-ton on road payload, and a 22-year service life. MTVR variants include the Dump, Wrecker, Tractor and HIMARS Re-Supply Vehicle. Features: On-Board diagnostics; independent "TAK-4" suspension; automatic traction control. Quantities Procured: USMC 9,221; Navy 1,855
- •The MTVR Armor System (MAS) provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment. The MAS is a permanent modification to the vehicle and includes an upgraded front suspension and cab rebuild. The kit includes a removable personnel carrier (with ballistic glass), air conditioning system, and machine gun mount. All vehicles in theater include MAS armor.

Quantities Procured: USMC – 4,950; Navy - 448



Logistics Vehicle System Replacement (LVSR) The USMC's Heavy Tactical Vehicle









- •The Logistics Vehicle System Replacement (LVSR) is replacing the current Marine Corps heavy-tactical wheeled vehicle, the Logistics Vehicle System (LVS). As the Marine Corps' heavy-tactical distribution system, the LVSR Cargo variant will transport bulk liquids (fuel and water); ammunition; standardized containers; bulk, break-bulk, palletized cargo, and bridging equipment. The LVSR Cargo variant has a payload capacity of of 22.5 tons on road and 16.5 tons off-road. The LVSR Wrecker variant will perform heavy wrecker/recovery missions, while the LVSR Tractor variant will tow heavy engineer equipment and combat vehicles with the M870A2 40 ton Medium Heavy Equipment Trailer (MHET). Features: "TAK-4" Independent Suspension; Mechanical Rear Steer technology; "Command Zone" On-Board Diagnostics; single source lubrication system. Authorized Acquisition Objective (AAO) = 2,000 (1,459 Cargo; 381 Tractor; 160 Wrecker).
- •The LVSR Add-On armor "B-kit" provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment. AAO = 651.



LVSR Schedule







Status of Programs



MTVR

- ACAT IC Operation and Sustainment phase
- Initial Operational Capability: Nov 2001
- Last Milestone Completed:
 Navy Gate 6 (May 2011)
- Full Operational Capability:
 Sept 2011
- Authorized Acquisition
 Objective: 8,500 (over 9,000 fielded)

LVSR

- ACAT II Operation and Sustainment phase
- Initial Operational Capability: Sept 2009
- Last Milestone Completed: Tractor/Wrecker Full Rate Production DR (Apr 2011)
- Full Operational Capability:
 4th QTR FY 2014
- Authorized Acquisition Objective: 2,000







MTVR and LVSR Product Support Strategies & Challenges



Life Cycle Product Support Sustainment



Product Support Strategy

- Three-tiered maintenance (USMC ROM) using organic Marine Corps capabilities, existing LVS manpower, facilities and infrastructure
- LVSR is designed to last the full 22 year life cycle without a mid-life rebuild; however, current theatre operations require some vehicles to be rebuilt upon return to CONUS. Two vehicles are on the Depot Master Work Schedule (MWS) for FY 12.
- User PBA between PM and Warfighter to monitor sustainment objectives

Metrics Data

ŀ			Micti 105 Bata	
	Parameter	CPD Goal (Threshold)	Current Estimate (17 Oct 2011)	Test or Fielding Event Data Derived From
	Availability Attribute - Ao (Cargo)	≥90%	Cargo 92% Tractor No data Wrecker 96%	Systems Operational Effectiveness Tool (SOE)
	Reliability Attribute -MMBOMF	≥4,000 Miles	Cargo 6,945 Miles Tractor 2,955.5 Miles Wrecker 2,135.8 Miles	IOT&E
	Maintainability Attribute - MTTR	≤ 3 HRs	Cargo 1.076 Hours Tractor 0.5 Hours Wrecker 0.61 Hours	IOT&E

Sustainment Schedule

			CY	201	11	1							CY	201	12									CY	2013	3									(Y 2	014				
		FY	2011			I				F	Y 20)12									F١	/ 20 [.]	13				I					FY:	2014								
Supportability											\Q		4	\Diamond					\Diamond			\Diamond					\Diamond		•									\Q			
Conference						Ц																																			
	IKPT	Trac	tor)	181	II ME	F	Т (Fract	tor)					ı	II ME	F NE	T (Tr	racto	or)																						
		•		*		Ц									,	_	L																					Ш			
Training		1	•	•	0	Ц									<		L										┙														
			*		1			<u> </u>		II M		ps (\	Vred	ker)	1																										
	III MEI	NET	(Car	go)			MEF	NET	(Tra	ctor																															
TM/IETM Updates	1					П						\	(Γ						(Г			Τ	Τ										П			
		•				Π					1	1	4	↑								1				1	T						1				1				
	IETM \	/alida	tion			П	IE.	FM A	ınnu	al Re	leas	е		FY1	3 IE	TM C	utof	ff		IETI	M An	nual	Rele	ase		FY	I4 IET	rm c	utoff	IE	TM /	Annı	ıal R	elea	se		FY	15 IET	TM Cu	toff	
			Г	П		П		Г		П		IET	ΜV	erifi	catio	n	Г				4		IETN	A Ve	rifica	tion	Т	Т	Т	Г	Γ			ETN	I Ve	rific	ation	П			Г
												Prov	isio	ning	Rev	iew					(() F	rovis	sioni	ing R	evie	w						Pr	ovis	sion	ing F	levie	w			
	Finalize SOWs 🔷 LOGCOM LRIP (currently 2 cargo assets, IED damage), add others as necessary																																								
Rebuild/IROAN						П										Г	Г										Т	Τ	Τ								Г				
									Fi	naliz	e S	OWs	\$												OE	FIF	ROA	N or	REI	ΛAN											
						П		Г			Т					Г	Г							Г			Т	Т	Τ		IL	A Do	cun	nent	Sc	reer	ing	\star			Г
PBL BCA						П										Г								Г			T									PE	BL B	CA			
						П																					T			Г											
						П											Γ										T						*					П			
Facilities Review						П					T		T		Τ		Γ					1					T	T			Fa	cilit	ies F	Revie	ew			П			Г
	\top	Т	П	П		П	T	Т		П	T	T	T	T	T	T	T				T		Т		П		7	\top	\top	T								П			

O&S Data

Cost Element	Original Baseline (Mar 11)*	Current costs
1.0 Unit-Level Manpower	0.17	TBD
2.0 Unit Operations	3.42	TBD
3.0 Maintenance	15.81	TBD
4.0 Sustaining Support	4.52	TBD
5.0 Continuing System Improvements	TBD	TBD
6.0 Indirect Support	TBD	TBD
Annual Cost per Active Vehicle (\$K)	23.93	TBD

*derived from the LVSR Joint cost position (approved LCCE) dated 23 Mar 2011

	Current
Total O&S Costs **	Cost
	(Mar 11)
Base year 2011\$M	949.08
Then year \$M	1,160.34


**Total O&S costs based on 2000 vehicles and a 22 year life




LVSR WEEKLY READINESS



LVSR OEF READINESS



LVSR FLEET READINESS





Results of the LVSR Full Rate Production Decision Independent Logistics Assessment (ILA)



Independent Logistics Assessment Item	Rating	Rationale
ILS Management	Supports Activities	
Budgeting and Funding	Supports Activities	
Maintenance Planning/Execution	Supports Activities	
Design Interface	Supports Activities	
RAM Maturity Growth	Supports Activities	
Supply Support	Supports Activities	
Support and Common Equipment	Supports Activities	
Human Systems Integration (MPT&E)	Supports Activities	Initially yellow due to MPTP not being signed during assessment; subsequently signed 30 Mar 2011 and close-out letter confirms a green rating. Revision to MPTP accommodates AAO increase from 1699 to 2000
Facilities & Platform Integration	Supports Activities	
Safety & Environment	Supports Activities	
Product/Technical Data	Supports Activities	
Computer Resources & SW Support	Supports Activities	
PHS&T	Supports Activities	

Legend



LVSR Challenges



- Fielding new vehicles to theater
 - Supported with Oshkosh Field Service Representatives and Initial Issue Provisioning packages
 - Developed Battle Damage & Repair kits to address combat damage
 - Coordinated training for units prior to deployment per MEF request
- · Initial provisioning and assignment of priority coding
 - Some glitches in data handoff between LOGCOM and DLA
 - Mitigated through close coordination and DLA long term supply contracts with Oshkosh
- Warranty management
 - Oshkosh very responsive in addressing warranty issues
 - Use of PMO liaison officers at each MEF for deprocessing and warranty claims
- Coordination with Defense Logistics Agency
 - DLA Systems Support Manager very engaged in the program
 - DLA Logistics Support Partnering Agreement



MTVR Life Cycle Product Support Sustainment



Product Support Strategy

Sustainment Approach

Logistics Support:

FY12 and beyond: transition from CLS to PB for MTVR sustainment.

FY12 is CLS follow-on contract extension. FY13 is start of contract for the PB effort.

Issues:

None

Resolution:

None

Sustainment Schedule FY11 FY12 **FY13** FY14 FY15 FY16 Post IOC ILA DMSMS Plan BCA Disposal Plan PB/CLS Prep PB/ CLS CLS follow-on CeOSS PBL Evaluation Reset/IROAN/PEI Rotation

Metrics Data

Metric	Original Goal FY02-05*	Current Goal FY06-09**	FY 11 Actual
Material Availability (8/31/11)	85%	90%	87.4%
NMCS (8/31/1i)	5%	5%	5.7%
NMCM (8/31/11)	5%	5%	5.0%
MDT	31 #	35 ##	35.0 (DAYS)

ATLASS II Data

MERIT Data

O&S Data

	UQO DE	<u>lla</u>	
Cost Element	*Per Vehicle Cost (AVE) (FY02-05)	**Per Vehicle Cost (AVE) (FY06-09)	Per Vehicle Current Cost (FY10-11)
Repair Parts	463.84	2,439.79	2,005.64
Class IX	8,226.50	8,077.59	5,523.60
Indirect (FSR Support)	1,642.01	633.07	100.41
IROAN	0	0	5895.10
Total Cost per Vehicle	10,332.35	11,150.45	13524.55

^{*} MTVR Unarmored Fleet


^{**}MTVR Armored/Unarmored Fleet





MTVR WEEKLY READINESS



MTVR OEF READINESS







Current as of 13 Oct 2011



MTVR Transition to Performance Based Support



• History:

- MTVR Program designated by National Defense Authorization Act (NDAA) as pilot program for Contractor Logistics Support (CLS)
- Awarded 3 year CLS contract to Oshkosh Corp with 7 option years in (2001)
- Contract currently managed by Marine Corps Logistics Command (LOGCOM); will expire end of Sept 2012

Current Actions:

- Completed detailed Business Case Analysis for PBL
- BCA recommended continuation of CLS, with addition of performance based elements
- PSI will be incentivized to improve customer support metrics metrics identified in PB Agreement(s)
- BCA COA recommended sole source with Oshkosh Corporation for PSI support
 - However, PM has decided to compete the PSI/CLS support contract



Results of MTVR Post-IOC Independent Logistics Assessment (ILA)



Independent Logistics Assessment Item	Rating	Rationale
ILS Management	G	
Budgeting and Funding	G	
Maintenance Planning/Execution	G	
Design Interface	G	APM-Engr has created interface control documents (ICD) to manage design.
RAM Maturity Growth	G	
Supply Support	G	
Support and Common Equipment	G	
Human Systems Integration (MPT&E)	G	
Facilities & Platform Integration	G	
Safety & Environment	G	
Product/Technical Data	G	
Computer Resources & SW Support	N/A	Not required
PHS&T	G	

Legend



MTVR Challenges



- Empowering Product Support Integrator (PSI) and PMO with real time product status information
 - Ability to quickly identify and resolve critical issues
 - Coordination with multiple data sources
 - Data quality often suspect
- Transition to Next Generation IETM software
 - -Close coordination with OEM resulting in seamless transition
- Configuration Management
 - -Tracking multiple vehicle configurations
 - Working closely with OEM and LOGCOM
- Contractual issues often impact speed of meeting urgent OpFOR requirements
 - Need flexible contract vehicles for quick response
- Coordination and communication with outside agencies (DLA, Marine Corps Logistics Command)

Working Together for Product Support

John Bryant, Vice President / General Manager USMC Programs
Oshkosh Defense

3 November 2011





Oshkosh Corporation at a Glance

Access Equipment











Defense















JERR DAN

























Oshkosh Defense – USMC Programs



MTVR Cargo



MTVR Wrecker



MTVR Dump



Oshkosh Defense – USMC Defense Program Center



LVSR Cargo



LVSR Tractor



LVSR Wrecker





Oshkosh Programs Overview

- Logistic Vehicle System Replacement LVSR (22 TON)
 - Variants: Cargo, Tractor, Wrecker
 - Total purchased to date: 1,806
- Support Concept:
 - Organic Support via USMC Logistics
 - Oshkosh provides Field Service Representatives and Technical Publication development under the base contract
 - Parts support is provided through DLA
 - Oshkosh is a parts provider to DLA
 - Service support is provided by USMC maintenance activities
 - Oshkosh provides a service capability upon request of PM





Oshkosh Programs (continued)

- Medium Tactical Vehicle Replacement MTVR (7 TON)
 - Variants: Cargo, Wrecker, Tractor, Dump, HIMARS RSV
 - Total purchased to date: 11,011 (includes Navy Seabee vehicles)

Support Concept:

- Contractor Logistics Support (CLS)
- Provides OEM managed contract parts (SOS LA9), service support, Field Service Representatives, Technical Publication development and updates
- 10 year contract FY01-FY11, FY12 Bridge Contract awarded

Program Interface:

- Government and Oshkosh PMs work together to focus on the warfighter requirements both CONUS and OCONUS.
- Communications through weekly OEF phone meetings.
- Quarterly IPRs with Government PMs






Oshkosh CLS Parts Delivery Times

PRIORITIES	DELIVERY REQUIREMENTS (Working days)							
	CONUS	OCONUS						
01—02	3	4						
03	5	5						
04—15	10	10						



Oshkosh CLS MTVR Parts Delivery






Oshkosh Parts Support

- Warehouse network provides wholesalelevel worldwide distribution of parts
- Critical/fast-moving parts stocked regionally
- Component rebuild/exchange programs
- 24 hours/7days a week support
- Oshkosh FAST[™] team network provides retail support
- In-stock parts ship in 24 hours, with overnight deliveries when needed
- Web-based FAST[™] PRO application provides online access to parts support













Regional Logistics Centers







Oshkosh Regional Logistics Centers

- Established locally to I MEF and II MEF
 - RLC North Carolina, located in Jacksonville, NC
 - RLC California, located in Temecula, CA
- Provides OEM local product support
 - Corrective/Preventive maintenance
 - RESET capability
 - IROAN
 - Navy Refurbishment





Refurbish Program

IROAN Wrecker with OEM certification





Navy MTVR refurbishment







Oshkosh Remanufactured MTVRs











Oshkosh Life Cycle Support Efforts

- MTVR Family of Vehicles (FOV)
 - OEM Manages over 4000 parts in support of the MTVR.
 - Established repairable program of MTVR end item components.
 - Manage parts obsolescence through suppliers and product improvement initiatives.
 - Extensive 22 year corrosion prevention plan is designed into vehicles.
 - Reduced parts foot print by focusing commonality of parts between variants. TAK-4 suspension, engines, transmissions and body components.





Oshkosh Life Cycle Support Efforts

LVSR Family of Vehicles

- Extensive 22 year corrosion prevention plan is designed into vehicles.
- Standardized vehicle configuration from engine compartment forward
- Commonality of parts:
 - 84% commonality between the LVSR Cargo and Tractor variant
 - 72% commonality between the LVSR Tractor and Cargo variant
- Single Fluid System
- Proven performance from Oshkosh's TAK-4 independent suspension system.





What Works

Program Success

- Common focus on warfighter needs
 - Its about readiness deadlining parts
 - Weekly contact with warfighter
- Open communication between Oshkosh/USMC teams
- Quarterly joint reviews to provide overviews of program and contract activities
- Rapid development meet urgent needs from the field
 - Automatic Fire Extinguishing Systems (AFES)
 - UIK Armor
 - LVSR power distribution and pass thru panels





Opportunities

- Life Cycle Support planning
 - RESET Initiatives
 - Multiple platform parts and service support initiatives (LVSR, MTVR, M-ATV)
- Equipment integration and insertion planning
 - Design and install
 - Configuration management
 - Space claim mitigation
 - Energy requirements (radios, BFT, Mine Rollers, auxiliary equipment)
- Move toward PBL One belly button for NMCS rates





Thank You









Summary



- Close coordination and teamwork between PMO and OEM required to execute effective product support strategy
- Real time communication and information flow between all parties essential to effective product support
- Important to establish flexible contracting vehicles to address urgent requirements
 - But competition is still important to control costs
- Performance based support and establishing dedicated Product Support Managers promise significant improvement in executing product support strategy



Questions?



If you don't understand this, you've never met a Marine....

